


[Subscribe \(Full Service\)](#) [Register \(Limited Service\)](#)

Search: ☒ The ACM Digital Library ☐ The Internet Archive

+extending +java +parameter

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#)
Terms used **extending java parameter**

Sort results by [Save results to a Binder](#) [Try an Advanced Search](#)
 Display results [Search Tips](#) [Try this search](#)
☐ Open results in a new window

Results 1 - 20 of 200 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)
 Best 200 shown [Refine](#)

1 Adding type parameterization to the Java language

Ole Agesen, Stephen N. Freund, John C. Mitchell
 October 1997 **ACM SIGPLAN Notices , Proceedings of the 12th ACM conference on Object-oriented programming, systems, languages and applications OOPSLA '97**, Volume 32 Issue 10

Publisher: ACM Press

Full text available: [pdf\(2.16 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

Although the Java programming language has achieved widespread acceptance, one feature that seems sorely missed is the ability to use type parameters (as in Ada, C++, templates, and ML polymorphic functions or data types) to allow a general class to be instantiated to one or more specific types. In this paper, we propose parameterized classes and interfaces in which the type parameter may be constrained to either implement an interface or extend a given class. This design allows t ...

2 Parasitic methods: an implementation of multi-methods for Java

John Boyland, Giuseppe Castagna
 October 1997 **ACM SIGPLAN Notices , Proceedings of the 12th ACM conference on Object-oriented programming, systems, languages and applications OOPSLA '97**, Volume 32 Issue 10

Publisher: ACM Press

Full text available: [pdf\(1.87 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

MB)citings, index ter


In an object-oriented programming language, method selection is (usually) using the class of the receiver. Some object-oriented languages (such as *Smalltalk*) have *multi-methods* which comprise several methods selected on the basis of the run-time parameters, not just the receiver. Multi-methods permit intuitive and powerful binary methods such as structural equality, set inclusion and matrix multiplication. Here we name a few. Java as currently designed ...

3 Compatible genericity with run-time types for the Java programming language

◆ Robert Cartwright, Guy L. Steele

October 1998 **ACM SIGPLAN Notices , Proceedings of the 13th ACM conference on Object-oriented programming, systems, languages and applications OOPSLA '98**, Volume 33 Issue 10

Publisher: ACM Press

Full text available:  [pdf\(1.97 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [citings](#), [index terms](#)


The most serious impediment to writing substantial programs in the Java programming language is the lack of a *genericity* mechanism for abstract methods with respect to type. During the past two years, several researchers have developed Java extensions that support various forms of genericity, but none in accommodating general type parameterization (akin to Java arrays) while maintaining compatibility with the existing Java Virtual Machine. In this paper we ...

4 Converting Java classes to use generics

◆ Daniel von Dincklage, Amer Diwan

October 2004 **ACM SIGPLAN Notices , Proceedings of the 19th annual conference on Object-oriented programming, systems, languages and applications OOPSLA '04**, Volume 39 Issue 10

Publisher: ACM Press

Full text available:  [pdf\(259.67 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [index terms](#)

Generics offer significant software engineering benefits since they provide a way to write code without compromising type safety. Thus generics will be added to the Java 5.0 next release. While this extension to Java will help programmers when they write new code, it will not help legacy code unless it is rewritten to use generics. In this paper we discuss how manually modifying existing programs to use generics is complex and costly, and we present a tool that automates this process. The tool takes as input a Java class and generates a new class that uses generics. The new class is a compile-time rewrite of the original class, and it is guaranteed to be compatible with the existing Java Virtual Machine. In this paper we ...

and labor intensive.

We describe a system ...


Keywords: generics, parametric polymorphism, type inference

5 Using Java reflection to automate extension language parsing

◆ Dale Parson

December 1999 **ACM SIGPLAN Notices , Proceedings of the 2nd conference on domain-specific languages PLAN '99**, Volume 35 Issue 1

Publisher: ACM Press


Full text available:  [pdf\(1.03 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [index terms](#)

An extension language is an interpreted programming language designed to extend a domain-specific framework. The addition of domain-specific primitive constructs to an embedded extension language transforms that vanilla extension language into a domain-specific language. The LUXWORKS processor simulator and debugger for Tcl as its extension language. After an overview of extension language experience, this paper looks at using Java reflection and ...

6 A comparative study of language support for generic programming

◆ Ronald Garcia, Jaakko Jarvi, Andrew Lumsdaine, Jeremy G. Siek, Jeremiah Johnson
October 2003 **ACM SIGPLAN Notices , Proceedings of the 18th annual conference on Object-oriented programming, systems, languages, and applications OOPSLA '03**, Volume 38 Issue 11

Publisher: ACM Press

Full text available:  [pdf\(237.38 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [index terms](#)

Many modern programming languages support basic generic programming constructs. Some languages have moved from basic support to a broader, more powerful interpretation of generic programming. Extensions have proven valuable in practice. This paper reports on a comparative study of generics in six programming languages: C++, Standard ML, Java (with its proposed generics extension), and Generic C. By implementing

Keywords: C#, C++, Eiffel, Haskell, Java, generic programming, generic


standard ML

7 Technical correspondence: Parametric polymorphism for Java: is there any

◆ Brian Cabana, Suad Alagić, Jeff Faulkner

December 2004 **ACM SIGPLAN Notices**, Volume 39 Issue 12

Publisher: ACM Press

Full text available:  pdf(1.60 MB)

Additional Information: [full citation](#), [abstract](#)

In spite of years of research toward a solution for the problem of extending parametric polymorphism (genericity) the officially accepted solution at release allows violation of the Java type system and turns a type safe language into one. The run-time type information in this release is incorrect which leads to problems for the programmers relying on the Java reflective capabilities. We show basic reasons for these problems. The first ...


Keywords: Java core reflection, Java virtual machine, class files, class loading, parametric polymorphism

8 A comparison of Ada and Java as a foundation teaching language

◆ Benjamin M. Brosgol

September 1998 **ACM SIGAda Ada Letters**, Volume XVIII Issue 5

Publisher: ACM Press

Full text available:  pdf(1.49 MB)

Additional Information: [full citation](#), [abstract](#), [terms](#)


Java has entered the software arena in unprecedented fashion, upstaging technologies that are longstanding players in the industry. Almost everywhere the language and its surrounding technology are attracting increasing attention from the hardware and software communities but also among lay users and in academia. This phenomenon has not escaped the attention of academia, and a growing number of colleges and universities are looking at Java as a candidate ...

9 On type systems for object-oriented database programming languages

◆ Yuri Leontiev, M. Tamer Özsu, Duane Szafron

December 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 4


Publisher: ACM Press

Full text available:  [pdf\(346.87 KB\)](#) Additional Information: [full citation](#), [abstract index terms](#)

The concept of an object-oriented database programming language (OODBPL) because it has the potential of combining the advantages of object oriented programming to yield a powerful and universal programming language and a consistent combination of object orientation and database programming is straightforward. Since one of the main components of an object-oriented language is its type system, one of the first problems that arise ...


Keywords: OODB, OODBPL, object-oriented database programming language checking, typing

10 Featherweight Java: a minimal core calculus for Java and GJ

 Atsushi Igarashi, Benjamin C. Pierce, Philip Wadler

May 2001 **ACM Transactions on Programming Languages and Systems**
Volume 23 Issue 3


Publisher: ACM Press

Full text available:  [pdf\(644.38 KB\)](#) Additional Information: [full citation](#), [abstract citations](#), [index terms](#)

Several recent studies have introduced lightweight versions of Java: reducing which complex features like threads and reflection are dropped to enable reasoning about key properties such as type safety. We carry this process a step further, removing almost all features of the full language (including interfaces and even annotations), resulting in a small calculus, Featherweight Java, for which rigorous proofs are not only possible but easy. Featherweight Java bears a similar relationship to the full language ...


Keywords: Compilation, Java, generic classes, language design, language semantics

11 Featherweight Java: a minimal core calculus for Java and GJ

 Atsushi Igarashi, Benjamin C. Pierce, Philip Wadler

October 1999 **ACM SIGPLAN Notices , Proceedings of the 14th ACM conference on Object-oriented programming, systems, languages, and applications OOPSLA '99**, Volume 34 Issue 10


Publisher: ACM Press

Full text available:  pdf(1.55 MB) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

Several recent studies have introduced lightweight versions of Java: reduced versions in which complex features like threads and reflection are dropped to enable reasoning about key properties such as type safety. We carry this process a step further by removing almost all features of the full language (including interfaces and even annotations), resulting in a small calculus, Featherweight Java, for which rigorous proofs are not only possible but also easy. Featherweight Java bears ...


Keywords: implementation, language design, theoretical foundations

12 Principal typings for Java-like languages

 Davide Ancona, Elena Zucca

January 2004 **ACM SIGPLAN Notices , Proceedings of the 31st ACM Symposium on Principles of programming languages POPL**
Issue 1


Publisher: ACM Press

Full text available:  pdf(170.94 KB) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

The contribution of the paper is twofold. First, we define a general notion of type environment equipped with an entailment relation between type environments; this generalization serves as a pattern for instantiating type systems able to support separate compilation and type checking of Java-like languages, and allows a formal definition of soundness and completeness of inter-checking w.r.t. global compilation. These properties are of practical importance since they allow selective recompilation. In p ...


Keywords: Java-like languages, principal typings, selective recompilation

13 A comparison of the concurrency features of Ada 95 and Java

 Benjamin M. Brosgol

November 1998 **ACM SIGAda Ada Letters , Proceedings of the 1998 ACM SIGAda international conference on Ada SIGAda '98**
Issue 6

Publisher: ACM Press

Full text available:  pdf(1.99 MB) Additional Information: [full citation](#), [reference terms](#)


Keywords: Ada, Java, concurrency, inheritance anomaly, object-oriented programming, threads

14 [Formalizing the safety of Java, the Java virtual machine, and Java card](#)

 Pieter H. Hartel, Luc Moreau

December 2001 **ACM Computing Surveys (CSUR)**, Volume 33 Issue 4

Publisher: ACM Press

Full text available:  pdf(442.86 KB) Additional Information: [full citation](#), [abstracts](#), [index terms](#)

We review the existing literature on Java safety, emphasizing formal approaches. The impact of Java safety on small footprint devices such as smartcards. The although a lot of good work has been done, a more concerted effort is needed to develop a coherent set of machine-readable formal models of the whole of Java and its implementation. This is a formidable task but we believe it is essential to ensure Java safety, and thence to achieve ITSEC level 6 or Common Criteria ...


Keywords: Common criteria, programming

15 [Jam---designing a Java extension with mixins](#)

 Davide Ancona, Giovanni Lagorio, Elena Zucca

September 2003 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 25 Issue 5

Publisher: ACM Press

Full text available:  pdf(1.33 MB) Additional Information: [full citation](#), [abstracts](#), [index terms](#), [reviews](#)

In this paper we present Jam, an extension of the Java language supporting parametric heir classes. A mixin declaration in Jam is similar to a Java hierarchy except that it does not extend a fixed parent class, but simply specifies the methods a generic parent should provide. In this way, the same mixin can be used with many parent classes, producing different heirs, thus avoiding code duplication.

improving modularity and ...

Keywords: Java, language design

16 Language and Implementation: Safe instantiation in generic Java

Eric E. Allen, Robert Cartwright


June 2004 **Proceedings of the 3rd international symposium on Principles of programming in Java PPPJ '04**

Publisher: Trinity College Dublin

Full text available:  [pdf\(366.32 KB\)](#) Additional Information: [full citation](#), [abstract](#)


This paper presents the "Safe-Instantiation Principle," a new design principle for extensions of Java with support for generic types. We discuss the GJ and the formulations of Generic Java and the implications of safe instantiation on them. We then consider the implications of safe-instantiation for the addition of generic types. Finally, we defend the formulation of mixins as *hygienic* mixins, arguing that a hygienic formulation is ...

17 Alias annotations for program understanding

 Jonathan Aldrich, Valentin Kostadinov, Craig Chambers

November 2002 **ACM SIGPLAN Notices , Proceedings of the 17th ACM conference on Object-oriented programming, systems, applications OOPSLA '02, Volume 37 Issue 11**

Publisher: ACM Press


Full text available:  [pdf\(336.14 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

One of the primary challenges in building and evolving large object-oriented programs is understanding aliasing between objects. Unexpected aliasing can lead to mistaken assumptions, security holes, and surprising side effects, all of which cause software defects and complicate software evolution. This paper presents a capability-based alias annotation system for Java that makes alias patterns explicit in source code, enabling developers to reason more effectively about them.

Keywords: aliasing, aliasjava, encapsulation, java, ownership types, type uniqueness

18 A first-class approach to genericity


◆ Eric Allen, Jonathan Bannet, Robert Cartwright

October 2003 **ACM SIGPLAN Notices , Proceedings of the 18th annual conference on Object-oriented programming, systems, languages and applications OOPSLA '03**, Volume 38 Issue 11**Publisher:** ACM PressFull text available:  [pdf\(357.33 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [index terms](#)

This paper describes how to add first-class generic types---including mix-typed OO languages with nominal subtyping such as Java and C#. A generic type is "first-class" if generic types can appear in any context where conventional types can. In this context, a mixin is simply a generic class that extends one of its type parameters. A class $C<T>$ that extends T . Although mixins of this form are widely used (e.g., in templates), they are clumsy and ...

19 Javari: adding reference immutability to Java

◆ Matthew S. Tschantz, Michael D. Ernst

October 2005 **ACM SIGPLAN Notices , Proceedings of the 20th annual conference on Object oriented programming, systems, languages and applications OOPSLA '05**, Volume 40 Issue 10**Publisher:** ACM PressFull text available:  [pdf\(345.67 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [index terms](#)


This paper describes a type system that is capable of expressing and enforcing constraints. The specific constraint expressed is that the abstract state of an immutable reference cannot be modified using that reference. This is (part of) the transitively reachable state: that is, the state of the object and from it by following references. The type system permits explicitly excluding the abstract state of an object ...

Keywords: Java, Javari, assignable, immutability, mutable, readonly, type verification

20Making the future safe for the past: adding genericity to the Java programming language

- ◆ Gilad Bracha, Martin Odersky, David Stoutamire, Philip Wadler
October 1998 **ACM SIGPLAN Notices , Proceedings of the 13th ACM conference on Object-oriented programming, systems, languages and applications OOPSLA '98**, Volume 33 Issue 10

Publisher: ACM Press

Full text available:  [pdf\(1.91 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)




We present GJ, a design that extends the Java programming language with generic methods. These are both explained and implemented by translation into a simpler language. The translation closely mimics the way generics are emulated in Java: it erases all type parameters, maps type variables to their bounds, and inserts casts where needed. Some subtleties of the translation are caused by the handling of nested generics. GJ increases expressiveness and safety: code utilizing generic ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

The ACM Portal is published by the Association for Computing Machinery
ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service\)](#)

 Search: ☒ The ACM Digital Library ☐ The USPTO

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#)

Published since January 1990 and Published before September 2003

 Sort results by [Save results to a Binder](#) [Try an Advanced Search](#)
 Display results [Search Tips](#) [Try this search](#)
☐ Open results in a new window

 Results 1 - 20 of 200 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)
 Best 200 shown [Results](#)

1 [Extended abstracts: Studying and using failure data from large-scale intern](#)

David Oppenheimer, David A. Patterson
 July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available: [pdf\(77.63 KB\)](#) Additional Information: [full citation](#), [abstract](#)

Large-scale Internet services are the newest and arguably the most common class of systems requiring 24x7 availability. As a result, very little information has been published about their causes of failure. In an attempt to address this deficiency, we have analyzed detailed failure reports from three large-scale Internet services. We (1) identify the major factors contributing to user-visible failures, (2) evaluate the effectiveness of various techniques ...

2 [Extended abstracts: Towards trusted systems from the ground up](#)

Vivek Haldar, Michael Franz
 July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available: [pdf\(358.95 KB\)](#) Additional Information: [full citation](#), [abstract](#)


Operating systems, the most fundamental software layer in virtually every system, are notoriously insecure and unreliable. A possible reason for this situation on language-based safety and security mechanisms has largely been ignored in the design of operating systems. There is a lack of *mechanical checking of safety properties* (compile- and run-time) as well as a framework and a mechanism for expressing and transporting and enforcing such properties ...

3 Extended abstracts: Timing fault detection for safety-critical real-time embedded systems

◆ Sébastien Faucou, Anne-Marie Dplanche, Yvon Trinquet

July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(114.10 KB\)](#) Additional Information: [full citation](#), [abstract](#)

On the one hand, a major aspect of dependability for real-time embedded systems is the respect of timing requirements. On the other hand, the complexity of modern embedded systems implies the need for new design processes focusing on hardware, such as architecture-based design. In this paper, we show how to integrate timing fault detection technique in such a design process. Our approach is based upon the use of the Architecture Description Language (ADL). This language allows to describe ...

4 Extended abstracts: THINK: a secure distributed systems architecture

◆ Christophe Rippert, Jean-Bernard Stefani

July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(64.00 KB\)](#) Additional Information: [full citation](#), [abstract](#)


In this paper, we present THINK, our distributed systems architecture, and the work we have conducted to provide the system programmer with an architecture for building efficient and secure operating systems. By specifying and implementing a language that can be used by the system programmer to implement a chosen security policy, that flexibility can be guaranteed in an operating system without compromise. Our work focuses on protection against denial of service ...

5

Extended abstracts: Secure coprocessor-based intrusion detection

- ◆ Xiaolan Zhang, Leendert van Doorn, Trent Jaeger, Ronald Perez, Reiner S.
July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe
beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(65.31 KB\)](#) Additional Information: [full citation](#), [abst](#)

The goal of an intrusion detection system (IDS) is to recognize attacks so that exploitation can be prevented. Since computer systems are complex, there are many places where detection is possible. For example, analysis of network traffic during an attack in progress [11], a compromised daemon may be detected by its activity [14, 12, 5, 10, 15], and subsequent attacks may be prevented by the detection and stepping stones [16, 17].

6 Extended abstracts: Replica management should be a game

- ◆ Dennis Geels, John Kubiawicz
July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe
beyond the PC EW10**

Publisher: ACM Press


Full text available:  [pdf\(96.66 KB\)](#) Additional Information: [full citation](#), [abst](#)

We believe that large-scale replica management solutions should be based on a game model. In this paper, we discuss the benefits provided by an economic approach and important directions for future research.

7 Extended abstracts: Pangaea: a symbiotic wide-area file system

- ◆ Yasushi Saito, Christos Karamanolis
July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe
beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(317.12 KB\)](#) Additional Information: [full citation](#), [abst](#)


Pangaea is a planetary-scale file system designed for large, multi-national groups of collaborating users spread over the world. Its goal is to handle storage needs---e.g., document sharing, software development, and data backup---that are write intensive. Pangaea uses *pervasive replication* to achieve low access latency and high availability. It creates replicas dynamically whenever and wherever

builds a random graph of replicas for each ...

8 Extended abstracts: Operating system support for massive replication

◆ Arun Venkataramani, Ravi Kokku, Mike Dahlin
 July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press


Full text available:  [pdf\(293.50 KB\)](#) Additional Information: [full citation](#), [abst](#)

The increasing number of devices used by each user to access data and s increasing importance of the data and services available electronically b anywhere" network-delivered services. Unfortunately, making such serv is difficult. For example, even though end servers or service hosting sites availability of "four nines" (99.99%) or "five nines" (99.999%), the end-availability (as perceived by clients) istypically lim ...

9 Extended abstracts: OASIS project: deterministic real-time for safety critic systems

◆ Stéphane Louise, Vincent David, Jean Delcoigne, Christophe Aussaguès
 July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press


Full text available:  [pdf\(77.28 KB\)](#) Additional Information: [full citation](#), [abst](#)

Safety critical systems is a growing industrial concern. It is a particular a interest for embedded or I&C systems, in nuclear power plant or aircraft automotive industry is to use more and more microcontrollers or microp software in the near future[Bre01], concerns about safety of these system mainstream. At the system level, because of intrinsic complexity, it is di high dependability. Typical applications should ...

10 Extended abstracts: Model checking system software with CMC

◆ Madanlal Musuvathi, Andy Chou, David L. Dill, Dawson Engler
 July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  pdf(82.15 KB) Additional Information: [full citation](#), [abstract](#)


Complex systems have errors that involve mishandled corner cases in infrequent events. Conventional testing techniques usually miss these errors. In recent years, verification techniques such as [5] have gained popularity in checking all possible behaviors of a system. However, such techniques involve generating a full model of the system. Such an abstraction process is unreliable, difficult to automate, and implementation errors. CMC is a framework for mode ...

11 Extended abstracts: A utility-centered approach to building dependable infrastructure

 George Candea, Armando Fox

July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  pdf(103.21 KB) Additional Information: [full citation](#), [abstract](#)


Achieving dependability in large scale infrastructure systems always requires intelligent tradeoffs. This paper draws upon ideas from economics and operations research to propose a systematic approach to thinking about such tradeoffs in terms of the system beneficiary's utility. The design process consists of choosing a spanning design space, explicitly formulating utility functions with respect to each spanning set, and then iteratively converging on the design that maximizes utility.

12 Extended abstracts: Increasing smart card dependability

 Ludovic Casset, Jean-Louis Lanet

July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  pdf(67.19 KB) Additional Information: [full citation](#), [abstract](#)

Open smart cards like Java Card provide application developers an opportunity to rapidly develop applications by offering the possibility to download during post issuance into the card. The main drawback with this kind of smart cards is the risk of a hostile application that may exploit a faulty implementation module of the card. Security is always a big concern for smart cards, but the issue is getting more complex with multi-applicative platforms, post issuance code do ...

13 Extended abstracts: High-confidence operating systems

- ◆ Radu Grosu, Erez Zadok, Scott A. Smolka, Rance Cleaveland, Yanhong A
July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe
beyond the PC EW10**

Publisher: ACM Press


Full text available:  [pdf\(89.56 KB\)](#) Additional Information: [full citation](#), [abst](#)

Operating systems (OSs) are among the most sophisticated software syst use, and among the most expensive and time-consuming to develop and software must also be robust and dependable, since OS failures can resul that corrupt user data, endanger human lives (cf. embedded systems), or avenues of attack for hackers or even cyber-terrorists.

14 Extended abstracts: Gaining and maintaining confidence in operating syste

- ◆ Trent Jaeger, Antony Edwards, Xiaolan Zhang
July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe
beyond the PC EW10**

Publisher: ACM Press


Full text available:  [pdf\(87.33 KB\)](#) Additional Information: [full citation](#), [abst](#)

Recently, there has been a lot of work in the verification of security prop Engler et al. use static analysis to find flaws in the implementation of Liu such as the failure to release locks [4]. Edwards et al. use static and dyna verify that the authorization hooks of the Linux Security Modules (LSM placed such that all the necessary authorizations are performed [2, 12]. Li et al. and Larochelle et al. show how ...

15 Extended abstracts: Fault tolerance and avoidance in biomedical systems

- ◆ Shane Stephens, Gernot Heiser
July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe
beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(68.44 KB\)](#) Additional Information: [full citation](#), [abst](#)

It is important for a variety of reasons that biomedical systems execute v

useful approach towards error-free software is to design a range of fault into applications software. In addition, by restricting the behaviour of an requiring explicit allocation of resources such as memory, errors can be application is still being written, rather than once an application has beer paper investigates how an operating syst ...

16 Extended abstracts: Extensible distributed operating system for reliable co

◆ Katsumi Maruyama, Kazuya Kodama, Soichiro Hidaka, Hiromichi Hashiz July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(107.29 KB\)](#) Additional Information: [full citation](#), [abst](#)

Since most control systems software is hardware-related, real-time-orient adaptable OSs which help program productivity and maintainability imp strong demand. We are developing an adaptable and extensible OS based and multi-server scheme: each server runs in a protected mode interactin messages, and could be added/extended/deleted easily. Since this OS is l inter-process messaging overhead is a concern. Our implementation p ...

17 Extended abstracts: Execution time limitation of interrupt handlers in a Jav

◆ Meik Felser, Michael Golm, Christian Wawersich, Jürgen Kleinöder July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(58.77 KB\)](#) Additional Information: [full citation](#), [abst](#)

Device drivers are a very critical part of every operating system. They of that is executed in interrupt handlers. During the execution of interrupt h processing of some other interrupts is usually disabled. Thus errors in th compromise the whole system. This paper describes an approach to ensu handler is not allowed to use more than a specified amount of time. Our on a Java operating system and consists of a combination ...

18 Extended abstracts: Event-driven programming for robust software

◆ Frank Dabek, Nickolai Zeldovich, Frans Kaashoek, David Mazières, Robe

July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(107.33 KB\)](#) Additional Information: [full citation](#), [abst](#)

Events are a better means of managing I/O concurrency in server software. Events help avoid bugs caused by the unnecessary CPU concurrency in threaded programs. Event-based programs also tend to have more stable performance under threaded programs. We argue that our libasynch non-blocking I/O library programming is convenient and evaluate extensions to the library that allow programs to take advantage of multi-processors. We conclude that e ...


19 Extended abstracts: Efficient heartbeats and repair of softstate in decentralized and routing systems



Hakim Weatherspoon, John D. Kubiatowicz

July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(138.11 KB\)](#) Additional Information: [full citation](#), [abst](#)

Redundancy alone is not sufficient to provide long-term guarantees in distributed systems. Instead, it must be coupled with mechanisms for automatic maintenance. This paper shows how Decentralized Object Location and Routing networks (DOLR) provide a framework for efficient heartbeats and continuous system repair.


20 Extended abstracts: Design and implementation of the Lambda μ -kernel based system for embedded systems



Kenji Hisazumi, Tsuneo Nakanishi, Teruaki Kitasuka, Akira Fukuda

July 2002 **Proceedings of the 10th workshop on ACM SIGOPS Europe beyond the PC EW10**

Publisher: ACM Press

Full text available:  [pdf\(148.56 KB\)](#) Additional Information: [full citation](#), [abst](#)

With large-scale embedded systems, improvement of development efficiency is one of the most important problems. In this paper, we design and implement an embedded operating system, called the Lambda operating system, which improves the maintenance of the system.




development efficiency of the operating system. The Lambda operating :
micro-kernel architecture, which allows the operating system to be easily
addition, we propose a method to improve operating system performance

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

The ACM Portal is published by the Association for Computing Machinery
ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Med
Player](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Ser](#)
[Search:](#) ☒ The ACM Digital Library ☐ The
☒ +msil +bytecode

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#)

Published since January 1990 and Published before
 September 2003

Terms used **msil bytecode**

Sort results by

[Save results to a Binder](#)
[Try an Advanc](#)
[Search Tips](#)
[Try this search](#)

Display results

☐ Open results in a new window

Results 1 - 4 of 4

Re

1 [Formal foundations: Formal semantics and analysis of object queries](#)

G. M. Bierman

June 2003 **Proceedings of the 2003 ACM SIGMOD international conference on Management of data**

Publisher: ACM Press

Full text available: [pdf\(244.76 KB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

Modern database systems provide not only powerful data models but also languages supporting powerful features such as the ability to create new and invocation of arbitrary methods (possibly written in a third-party programming language). In this sense query languages have evolved into powerful programming languages. Surprisingly little work exists utilizing techniques from programming research to specify and analyse these query languages. This paper provides

2 [E-services: The Web services debate: J2EE vs. .NET](#)

Joseph Williams

June 2003 **Communications of the ACM**, Volume 46 Issue 6

Publisher: ACM Press

Full text available: [pdf\(124.55 KB\)](#) [html](#) Additional Information: [full citation](#), [abstract](#)

(22.62 KB)

terms

As the articles in this section attest, the future of Web services is as certain as the future of the Web. That is, the Web services arena is most certainly the next technological wave. It is clear is what direction (of many) that wave will flow. The challenge of successfully pull all the components together is particularly daunting.


3 Can C# replace java in CS1 and CS2?



Stuart Reges

June 2002 **ACM SIGCSE Bulletin , Proceedings of the 7th annual conference on Innovation and technology in computer science education ITI**
34 Issue 3

Publisher: ACM Press

Full text available:  [pdf\(143.13 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

Microsoft has developed a language called C# ("see sharp") that it claims will enable programmers to "quickly and easily build solutions" for its new .NET platform. The language has much in common with Java, particularly in those features covered in CS1 and CS2 courses. It also includes some of the desirable features of C++ that are not in Java as well as some new features not available in either language. This paper discusses the pros and cons of teaching CS1 and CS2 using C# instead ...

Keywords: C#, CS1, CS2, Java, object oriented programming


4 JAsCo: an aspect-oriented approach tailored for component based software



Davy Suvée, Wim Vanderperren, Viviane Jonckers

March 2003 **Proceedings of the 2nd international conference on Aspect oriented development**

Publisher: ACM Press

Full text available:  [pdf\(991.48 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)




In this paper we introduce a novel aspect oriented implementation language: JAsCo is tailored for component based development and the Java Beans architecture in particular. The JAsCo language introduces two concepts: aspect beans and aspect bean descriptors. An aspect bean describes behavior that interferes with the execution of a core bean. A special kind of inner class, called a hook. The specification of a hook is a

and therefore reusable. A connector on the othe ...

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery
ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Med
Player](#)



[Subscribe \(Full Service\)](#) [Register \(Limited Se](#)

Search: ☒ The ACM Digital Library ☐ The
+generic +class +framework +intermediate +lang

THE ACM DIGITAL LIBRARY

[Feedback](#) [Report a problem](#)

Published since January 1990 and Published before
September 2003

[Terms used](#)

generic class framework intermediate language

Sort results by

[Save results to a Binder](#)

[Try an Advanc](#)
[Try this search](#)

[Search Tips](#)

Display results

☐ Open results in a new
window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [ne](#)

Best 200 shown

R

1 [Design and implementation of generics for the .NET Common language ru](#)

Andrew Kennedy, Don Syme

May 2001 **ACM SIGPLAN Notices , Proceedings of the ACM SIGPLA
on Programming language design and implementation PLD]
Issue 5**

Publisher: ACM Press

Full text available: [pdf\(1.25
MB\)](#)

Additional Information: [full citation](#), [abst](#)
[citing](#), [index ter](#)


The Microsoft.NET Common Language Runtime provides a shared type intermediate language and dynamic execution environment for the imple operation of multiple source languages. In this paper we extend it with d parametric polymorphism (also known as generics), describing the desig written in an extended version of the C# programming language, and exp implementation by reference to a prototype extension to the runtim ...

2 [Vortex: an optimizing compiler for object-oriented languages](#)

Jeffrey Dean, Greg DeFouw, David Grove, Vassily Litvinov, Craig Chamb
October 1996 **ACM SIGPLAN Notices , Proceedings of the 11th ACM
conference on Object-oriented programming, systems, la**


applications OOPSLA '96, Volume 31 Issue 10

Publisher: ACM Press

Full text available:  pdf(2.45 MB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)


Previously, techniques such as class hierarchy analysis and profile-guide prediction have been demonstrated to greatly improve the performance of code written in pure object-oriented languages, but the degree to which these techniques are transferable to applications written in hybrid languages has been unclear. In this question, we have developed the Vortex compiler infrastructure, a language-independent optimizing compiler for object-oriented languages, with ...

3 [Representing Java classes in a typed intermediate language](#)

 Christopher League, Zhong Shao, Valery Trifonov


September 1999 **ACM SIGPLAN Notices , Proceedings of the fourth ACM international conference on Functional programming** Volume 34 Issue 9

Publisher: ACM Press

Full text available:  pdf(1.81 MB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

We propose a conservative extension of the polymorphic lambda calculus to a typed intermediate language for compiling languages with name-based class and module hierarchies. Our extension enriches standard F^{ω} with recursive type constructors, types, and row polymorphism, but only ordered records with no subtyping. The resulting language on F^{ω} makes it also a suitable target for translation from other languages.

4 [Technical correspondence: Language integration in the common language](#)

 Jennifer Hamilton

February 2003 **ACM SIGPLAN Notices, Volume 38 Issue 2**

Publisher: ACM Press

Full text available:  pdf(974.52 KB) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

The Common Language Runtime (CLR) is language and platform-neutral runtime infrastructure for the Microsoft .NET Framework. A key innovation is its support for multiple programming languages, enabling programmers to write applications in any language supported by the CLR.

integration at the runtime level to a much greater degree than is currently


Keywords: common type system, exception handling, intermediate lang interoperability, metadata, virtual machine

5 Fast detection of communication patterns in distributed executions

Thomas Kunz, Michiel F. H. Seuren


November 1997 **Proceedings of the 1997 conference of the Centre for A
on Collaborative research**

Publisher: IBM Press

Full text available:  [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abst](#)
[index terms](#)


Understanding distributed applications is a tedious and difficult task. Vis on process-time diagrams are often used to obtain a better understanding the application. The visualization tool we use is Poet, an event tracer dev University of Waterloo. However, these diagrams are often very comple: the user with the desired overview of the application. In our experience, repeated occurrences of non-trivial commun ...

6 Partial evaluation of functional logic programs

 María Alpuente, Moreno Falaschi, Germán Vidal

July 1998 **ACM Transactions on Programming Languages and System**
Volume 20 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(792.96 KB\)](#) Additional Information: [full citation](#), [abst](#)
[citations](#), [index ter](#)

Languages that integrate functional and logic programming with a comp semantics are based on narrowing, a unification-based goal-solving mecl subsumes the reduction principle of functional languages and the resolut logic languages. In this article, we present a partial evaluation scheme fo languages based on an automatic unfolding algorithm which builds narrc method is formalized within the theoretical framework est ...


Keywords: conditional term-rewriting systems, integration of functional programming, narrowing strategies, partial evaluation

7 A systematic study of functional language implementations

◆ Rémi Douence, Pascal Fradet

March 1998 **ACM Transactions on Programming Languages and Systems**
Volume 20 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(273.98 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

We introduce a unified framework to describe, relate, compare, and classify language implementations. The compilation process is expressed as a series of transformations in the common framework. At each step, different transformations make fundamental choices. A benefit of this approach is to structure and decompose the implementation process. The correctness proofs can be tackled independently and amount to proving program transformations in the functional ...


Keywords: abstract machines, combinators, compilers, functional programming, transformation

8 A generic account of continuation-passing styles

◆ John Hatcliff, Olivier Danvy

February 1994 **Proceedings of the 21st ACM SIGPLAN-SIGACT symposium on Principles of programming languages**

Publisher: ACM Press

Full text available:  [pdf\(1.41 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

We unify previous work on the continuation-passing style (CPS) transformation with a generic framework based on Moggi's computational meta-language. This allows us to obtain CPS transformations for a variety of evaluation strategies and to establish corresponding administrative reductions and inverse transformations. We establish formal connections between operational semantics and equational theories and study properties of transformations for specific evaluation orders ...

9 Using Java reflection to automate extension language parsing

◆ Dale Parson

December 1999 **ACM SIGPLAN Notices , Proceedings of the 2nd conference on**

specific languages PLAN '99, Volume 35 Issue 1



Publisher: ACM Press

Full text available:  [pdf\(1.03 MB\)](#) Additional Information: [full citation](#), [abstract](#), [index terms](#)

An extension language is an interpreted programming language designed as a domain-specific framework. The addition of domain-specific primitive embedded extension language transforms that vanilla extension language into a domain-specific language. The LUXWORKS processor simulator and debugger use Tcl as its extension language. After an overview of extension language and LUXWORKS experience, this paper looks at using Java reflection and ...

10 [Computing curricula 2001](#)


 **September 2001 Journal on Educational Resources in Computing (JERIC)**
Publisher: ACM Press

Full text available:  [pdf\(613.63 KB\)](#)  [html \(2.78 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

11 [A framework for optimizing Java using attributes](#)

Patrice Pominville, Feng Qian, Raja Vallée-Rai, Laurie Hendren, Clark Veith
November 2000 **Proceedings of the 2000 conference of the Centre for Advanced Research on Collaborative research**

Publisher: IBM Press


Full text available:  [pdf\(314.37 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [index terms](#)

This paper presents a framework for supporting the optimization of Java programs using attributes in Java class files. We show how class file attributes may be used to identify optimization opportunities and profile information to a variety of Java virtual machines including ahead-of-time compilers and just-in-time compilers. We present the context of Soot, a framework that supports the analysis and transformation of (class files)[21, 25, 26]. We demonstrate the framework ...

12 [Surveying current research in object-oriented design](#)


 Rebecca J. Wirfs-Brock, Ralph E. Johnson
September 1990 **Communications of the ACM**, Volume 33 Issue 9

Publisher: ACM Press

Full text available:  [pdf\(2.82 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [index terms](#)

The state of object-oriented is evolving rapidly. This survey describes what is thought to be the key ideas. Although it is necessarily incomplete, it contains and industrial efforts and describes work in both the United States and Europe. Well-known ideas, like that of Coad and Meyer [34], in favor of less widely known projects. Research in object-oriented design can be divided many ways. Some is focused on describing a design process. ...

13 [New ideas for generic components in Ada](#)

 Richard Riehle

September 1998 **ACM SIGAda Ada Letters**, Volume XVIII Issue 5

Publisher: ACM Press

Full text available:  [pdf\(1.05 MB\)](#) Additional Information: [full citation](#), [abstracts](#)

The creation of reusable software components is an important part of modern software practice. Generic templates are one technique for designing these components. A generic template is a module containing algorithms which can operate on some data type where the specific data type is not known until later in the development process. Many programming languages, including Ada, support this technique. In Ada, generic templates are type safe at compile time. We examine some features of Ada which allow for the creation of reusable components. ...

14 [Fast interprocedural class analysis](#)


 Greg DeFouw, David Grove, Craig Chambers

January 1998 **Proceedings of the 25th ACM SIGPLAN-SIGACT symposium on programming languages**

Publisher: ACM Press

Full text available:  [pdf\(2.03 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)


15 [A framework for run-time systems and its visual programming language](#)

 Alan M. Durham, Ralph E. Johnson

October 1996 **ACM SIGPLAN Notices**, **Proceedings of the 11th ACM conference on Object-oriented programming, systems, languages, and applications**


applications OOPSLA '96, Volume 31 Issue 10

Publisher: ACM Press

Full text available:  [pdf\(1.56 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)


Frameworks and domain-specific visual languages are two different reuse paradigms. The first is first targeted at expert programmers, the second at domain experts. In fact, they are closely related. This paper shows how to develop a domain-specific visual language, first developing a white-box framework for the domain, then turning it into a black-box framework, and finally building a graphical front end for it. We used this framework to specify run-time systems.

16 Automatic program specialization for Java

 Ulrik P. Schultz, Julia L. Lawall, Charles Consel

July 2003 **ACM Transactions on Programming Languages and Systems**
Volume 25 Issue 4

Publisher: ACM Press

Full text available:  [pdf\(1.18 MB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

The object-oriented style of programming facilitates program adaptation and reuse, but at the expense of efficiency. We demonstrate that current state-of-the-art Java compilers fail to compensate for the use of object-oriented programming in the implementation of generic programs, and that program specialization can reduce a significant portion of these overheads. We present an automatic program specialization framework for Java, illustrate its use through detailed case studies ...


Keywords: Automatic program specialization, Java, object-oriented language, program optimization, partial evaluation

17 Engineering a customizable intermediate representation

 K. Palacz, J. Baker, C. Flack, C. Grothoff, H. Yamauchi, J. Vitek

June 2003 **Proceedings of the 2003 workshop on Interpreters, virtual machines, and emulators**

Publisher: ACM Press

Full text available:  [pdf\(322.87 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#)


The Ovm framework is a set of tools and components for building languages that present the intermediate representation and software design patterns used in the framework. One of the main themes in this work has been to support expressing new linguistic constructs and implementation techniques. To this end, framework components were designed to be parametric with respect to the instructions they operate on. We argue that our approach eases the task of writing new ...

18 A practical framework for demand-driven interprocedural data flow analysis

◆ Evelyn Duesterwald, Rajiv Gupta, Mary Lou Soffa

November 1997 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 19 Issue 6

Publisher: ACM Press

Full text available:  [pdf\(412.57 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

The high cost and growing importance of interprocedural data flow analysis have increased interest in demand-driven algorithms. In this article, we present a framework for developing demand-driven interprocedural data flow analysis and our experience in evaluating the performance of this approach. A demand for information is modeled as a set of queries. The framework includes a general algorithm that determines the response to query by iteration ...


Keywords: copy constant propagation, data flow analysis, def-use chain algorithms, distributive data flow frameworks, interprocedural data flow optimizations

19 Mixin layers: an object-oriented implementation technique for refinements based designs

◆ Yannis Smaragdakis, Don Batory

April 2002 **ACM Transactions on Software Engineering and Methodology**, Volume 11 Issue 2

Publisher: ACM Press

Full text available:  [pdf\(510.43 KB\)](#) Additional Information: [full citation](#), [abstracts](#), [citations](#), [index terms](#)

A "refinement" is a functionality addition to a software project that can be dispersed among implementation entities (functions, classes, etc.). In this paper, we scale refinements in terms of a fundamental object-oriented technique called mixin layers.

based design. We explain how collaborations can be expressed in existing languages or can be supported with new language constructs (which we view as extensions to the Java language). We present a specification ...


Keywords: Collaboration-based design, component-based software, process architectures

20 Consistency checking for multiple view software architectures

◆ Pascal Fradet, Daniel Le Métayer, Michaël Périn

October 1999 **ACM SIGSOFT Software Engineering Notes**, Proceedings of the European software engineering conference held jointly with the SIGSOFT international symposium on Foundations of software engineering, ESEC/FSE-7, Volume 24 Issue 6

Publisher: Springer-Verlag, ACM Press

Full text available:  [pdf\(1.36 MB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)




Consistency is a major issue that must be properly addressed when considering multiple view architectures. In this paper, we provide a formal definition of views and consistency graphically using diagrams with multiplicities and propose a simple algorithm for checking the consistency of diagrams. We also put forward a simple language of consistency constraints more precise (intra-view and inter-view) consistency requirements. We describe a decision procedure to decide whether diagrams satisfy a ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

The ACM Portal is published by the Association for Computing Machinery
ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)

[Home](#) | [Login](#) | [Logout](#)


Welcome United States Patent and
Trademark Office

Search Results

[BROWSE SEARCH](#) [IEEE GUIDE](#)

Results for "(((multilanguage intermediate code generic)<in>metadata)
>= 1990 <and...>"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance
Descending order.

» Search Options

[View Session](#)
[History](#)
[New Search](#)

Modify Search

(((multilanguage intermediate code generic)<in>me

☐ Check to search only within this results set

» Key

IEEE JNL IEEE
Journal or
Magazine

IEEE JNL IEEE Journal
or Magazine

IEEE CNF IEEE
Conference
Proceeding

IEEE CNF IEEE
Conference
Proceeding

IEEE STD IEEE
Standard

Display Format: ☒ Citation ☐ Citation &
Abstract

No results were found.

Please edit your search criteria and try again. Refer
assistance revising your search.

Indexed by
 Inspect

[Home](#) | [Login](#) | [Logout](#)


Welcome United States Patent and Trademark Office

Search Results

[BROWSE SEARCH](#) [IEEE GUIDE](#)

Results for "(((generic class framework)<in>metadata)) <and> (pyr >= pyr <= ...
 Your search matched 0 documents.
 A maximum of 100 results are displayed, 25 to a page, sorted by Relevance Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

(((generic class framework)<in>metadata)) <and> (pyr >= pyr <= ...

☐ Check to search only within this results set

» Key

IEEE JNL

IEEE
Journal or Magazine

IEEE JNL

IEEE Journal or Magazine

IEEE CNF

IEEE
Conference Proceeding

IEEE CNF

IEEE
Conference Proceeding

IEEE STD

IEEE
Standard

Display Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer assistance revising your search.

Indexed by
 Inspec

[Home](#) | [Login](#) | [Logout](#)


Welcome United States Patent and
Trademark Office

Search Results

[BROWSE SEARCH](#) [IEEE GUIDE](#)

Results for "(((msil)<in>metadata)) <and> (pyr >= 1990 <and> pyr <= 1999))".
Your search matched 0 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance
Descending order.

» Search Options

[View Session](#)
[History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

IEEE JNL

IEEE
Journal or
Magazine

IEEE JNL

IEEE Journal
or Magazine

IEEE CNF

IEEE
Conference
Proceeding

IEEE CNF

IEEE
Conference
Proceeding

IEEE STD

IEEE
Standard

Display Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer assistance revising your search.

Indexed by
 Inspec

Home | Login | Logout



Welcome United States Patent and Trademark Office

Search Results

[BROWSE SEARCH](#) [IEEE GUIDE](#)

Results for "(((msil)<in>metadata)) <and> (pyr >= 1990 <and> pyr <= 1999)
 Your search matched 0 documents.
 A maximum of 100 results are displayed, 25 to a page, sorted by Relevance
 Descending order.

» Search Options

[View Session](#)
[History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

IEEE JNL

 IEEE
 Journal or
 Magazine

IEEE JNL

 IEEE Journal
 or Magazine

IEEE CNF

 IEEE
 Conference
 Proceeding

IEEE CNF

 IEEE
 Conference
 Proceeding

IEEE STD

 IEEE
 Standard

Display Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer assistance revising your search.

 Indexed by

[Home](#) | [Login](#) | [Logout](#)


Welcome United States Patent and Trademark Office

Search Results

[BROWSE SEARCH](#) [IEEE GUID](#)

Results for "(((net framework generic class)<in>metadata)) <and> (py
<and> pyr &...
Your search matched 0 documents.
A maximum of 100 results are displayed, 25 to a page, sorted by Relevance
Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

IEEE JNL

IEEE
Journal or
Magazine

IEEE JNL

IEEE Journal
or Magazine

IEEE CNF

IEEE
Conference
Proceeding

IEEE CNF

IEEE
Conference
Proceeding

IEEE STD

IEEE
Standard

Display Format: ☒ Citation ☐ Citation & Abstract

No results were found.

Please edit your search criteria and try again. Refer assistance revising your search.

Indexed by
 Inspect

Home | Login | Logout



Welcome United States Patent and Trademark Office

Search Results

[BROWSE SEARCH](#) [IEEE GUID](#)

Results for "(((net framework)<in>metadata)) <and> (pyr >= 1990 <and> 2003)"
 Your search matched **20** of **1372086** documents.
 A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance Descending** order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

☐ Check to search only within this results set

» Key

IEEE JNL

 IEEE
Journal or Magazine

IEEE JNL

IEEE Journal or Magazine

IEEE CNF

 IEEE
Conference Proceeding

IEEE CNF

 IEEE
Conference Proceeding

IEEE STD

 IEEE
Standard

Display Format: ☒ Citation ☐ Citation & Abstract

[view selected items](#)
[Select All](#) [Deselect All](#)

- ☐ 1. **Distributed shared memory using the .NET**
 Seidmann, T.;
 Cluster Computing and the Grid, 2003. Proceedings of the
 IEEE/ACM International Symposium on
 12-15 May 2003 Page(s): 457 - 462
 Digital Object Identifier 10.1109/CCGRID.2003.1190700
 AbstractPlus | Full Text: [PDF\(265 KB\)](#)
 Rights and Permissions
- ☐ 2. **C# and the .NET framework: ready for**
 Lutz, M.H.; Laplante, P.A.;
 Software, IEEE
 Volume 20, Issue 1, Jan.-Feb. 2003 Page
 Digital Object Identifier 10.1109/MS.2003.1190700
 AbstractPlus | [References](#) | Full Text: [PDF](#)
 Rights and Permissions
- ☐ 3. **Software security: experiments on the .NET**
 and the Shared Source Common Language
 Piessens, F.; Jacobs, B.; Joosen, W.;
 Software, IEEE Proceedings- [see also Soft
 Volume 150, Issue 5, 27 Oct. 2003 Page
 Digital Object Identifier 10.1049/in-sen:200311907
 AbstractPlus | Full Text: [PDF\(215 KB\)](#)
 Rights and Permissions
- ☐ 4. **Regression test selection based on inter**
 Toshiniko Koju; Shingo Takada; Norihisa
 Software Maintenance, 2003. ICSM 2003
 Conference on

22-26 Sept. 2003 Page(s):420 - 429
 Digital Object Identifier 10.1109/ICSM.2003.12689
[AbstractPlus](#) | [Full Text: PDF\(294 KB\)](#) | [Rights and Permissions](#)

- ☐ **5. Dynamic knowledge inference and learning framework**
 Xiaou Li; Wen Yu; Lara-Rosano, F.; Systems, Man and Cybernetics, Part C, IEEE Transactions on, Volume 30, Issue 4, Nov. 2000 Page(s):727 - 734
 Digital Object Identifier 10.1109/5326.8970004
[AbstractPlus](#) | [References](#) | [Full Text: PDF](#) | [Rights and Permissions](#)
- ☐ **6. Server based application level authorization**
 Rissanen, E.; Software, IEEE Proceedings- [see also Software Engineering Letters, IEEE], Volume 150, Issue 5, 27 Oct. 2003 Page(s):727 - 734
 Digital Object Identifier 10.1049/ip-sen:2003057
[AbstractPlus](#) | [Full Text: PDF\(211 KB\)](#) | [Rights and Permissions](#)
- ☐ **7. An architecture for distributed applications on Microsoft's .NET platform**
 Fay, D.; Parallel and Distributed Processing Symposium, International, Volume 1, 22-26 April 2003 Page(s):7 pp.
 Digital Object Identifier 10.1109/IPDPS.2003.1205689
[AbstractPlus](#) | [Full Text: PDF\(344 KB\)](#) | [Rights and Permissions](#)
- ☐ **8. Securing handheld devices**
 Susilo, W.; Networks, 2002. ICON 2002, 10th IEEE International Conference on, Volume 1, 27-30 Aug. 2002 Page(s):349 - 354
 Digital Object Identifier 10.1109/ICON.2002.1192889
[AbstractPlus](#) | [Full Text: PDF\(547 KB\)](#) | [Rights and Permissions](#)
- ☐ **9. Adaptive regularization**
 Hansen, L.K.; Rasmussen, C.E.; Svarer, C.; Neural Networks for Signal Processing, 1994. IEEE Workshop on, Volume 1, 6-8 Sept. 1994 Page(s):78 - 87
 Digital Object Identifier 10.1109/NNSP.1994.34889
[AbstractPlus](#) | [Full Text: PDF\(376 KB\)](#) | [Rights and Permissions](#)
- ☐ **10. A hierarchical Petri net framework for assembly**
 Thomas, J.P.; Nissanke, N.; Baker, K.D.; Robotics and Automation, IEEE Transactions on, Volume 12, Issue 2, April 1996 Page(s):127 - 134
 Digital Object Identifier 10.1109/70.4889
[AbstractPlus](#) | [References](#) | [Full Text: PDF](#) | [Rights and Permissions](#)
- ☐ **11. How .NET's custom attributes affect deployment**
 Newkirk, J.; Vorontsov, A.A.;

- Software, IEEE
Volume 19, Issue 5, Sept.-Oct. 2002 Page(s): 489-490
Digital Object Identifier 10.1109/MS.2002.1077000
AbstractPlus | Full Text: [PDF\(489 KB\)](#)
Rights and Permissions
- ☐ **12. NET framework essentials [Book Review]**
Mateosian, R.;
Micro, IEEE
Volume 23, Issue 5, Sept.-Oct. 2003 Page(s): 489-490
Digital Object Identifier 10.1109/MM.2003.1200000
AbstractPlus | Full Text: [PDF\(242 KB\)](#)
Rights and Permissions
- ☐ **13. Design of a multi-threaded distributed system**
Al-Mouhamed, M.; Toker, O.; Iqbal, A.;
Electronics, Circuits and Systems, 2003.
2003 10th IEEE International Conference
Volume 3, 14-17 Dec. 2003 Page(s): 1281-1284
Digital Object Identifier 10.1109/ICECS.2003.1200000
AbstractPlus | Full Text: [PDF\(1423 KB\)](#)
Rights and Permissions
- ☐ **14. A Petri net approach to deadlock analysis**
Magnino, F.; Valigi, P.;
Robotics and Automation, 2000. Proceedings of the
Conference on
Volume 3, 24-28 April 2000 Page(s): 287-290
Digital Object Identifier 10.1109/ROBOT.2000.1000000
AbstractPlus | Full Text: [PDF\(468 KB\)](#)
Rights and Permissions
- ☐ **15. A Petri-net-based framework for representation in case-based document writing**
Chih-Hung Wu;
Knowledge-Based Intelligent Information Systems
International Conference
31 Aug.-1 Sept. 1999 Page(s): 484-487
Digital Object Identifier 10.1109/KES.1999.1000000
AbstractPlus | Full Text: [PDF\(328 KB\)](#)
Rights and Permissions
- ☐ **16. Object-based high-level Petri nets as a modeling tool for information systems**
Guerrero, D.D.S.; de Figueiredos, J.C.A.;
Systems, Man, and Cybernetics, 1997. Conference on
Simulation. 1997 IEEE International Conference on
Volume 4, 12-15 Oct. 1997 Page(s): 338-341
Digital Object Identifier 10.1109/ICSMC.1997.1000000
AbstractPlus | Full Text: [PDF\(604 KB\)](#)
Rights and Permissions
- ☐ **17. Real time neural networks. III. Alternative applications**
Tatman, G.; Jannarone, R.;
System Theory, 1991. Proceedings., Twentieth Annual Conference of the
on
10-12 March 1991 Page(s): 591-596
Digital Object Identifier 10.1109/SSST.1991.1000000

[AbstractPlus](#) | [Full Text: PDF\(284 KB\)](#)
[Rights and Permissions](#)

- ☐ **18. A Petri Net Framework For Represent Sequences**
Thomas, J.P.;
[Intelligent Robots and Systems, 1992., Pr](#)
[International Conference on](#)
[Volume 3. July 7-10, 1992 Page\(s\):2116 .](#)
[AbstractPlus](#) | [Full Text: PDF\(620 KB\)](#)
[Rights and Permissions](#)
- ☐ **19. Net system morphisms and observabili**
Simone, C.;
[Circuits and Systems, 1991., IEEE Intern:](#)
[11-14 June 1991 Page\(s\):838 - 841 vol.2](#)
[Digital Object Identifier 10.1109/ISCAS.](#)
[AbstractPlus](#) | [Full Text: PDF\(428 KB\)](#)
[Rights and Permissions](#)
- ☐ **20. Knowledge representation for mechani**
Thomas, J.P.; Baker, K.D.;
[Intelligent Systems Engineering, 1992., F](#)
[\(Conf. Publ. No. 360\)](#)
[19-21 Aug 1992 Page\(s\):98 - 103](#)
[AbstractPlus](#) | [Full Text: PDF\(460 KB\)](#)